

IEC60945 Series Standard PanelPC (DNV-compliant) Catalog 2024

www.cjb.it

All PanelPC' s "IEC60945" can be ordered with the following options:

H = High Brightness 1000 nits LED backlight

OB = Optical Bonding

B = Glass Without touch

AG = Anti-Glare

AR = Anti-Reflection

V = Vandal Proof Glass (By Project)

MTH = wide temperature -30°C ~ +70°C

→ wide choice of processor options



PPC-240WAG-2AxMT/H

24" (1920*1080) Fanless P-cap Panel PC with Intel® Gen. 12th 35W LGA1700 CPU, AG, IP65 Front side, 2x USB 3.2, 2x USB2.0, 2x 2.5Gbs LAN, 2x COM, 1x HDMI, 2x DP and DC 12~28V Power Input with DC 24V Power Adapter, -20~60°C



PPC-215WAG-2AxMT/H

21.5" (1920*1080) Fanless P-cap Panel PC with Intel® Gen. 12th 35W LGA1700 CPU, IP65 Front side, 2x USB 3.2, 2x USB2.0, 2x 2.5Gbs LAN, 2x COM, 1x HDMI, 2x DP and DC 12~28V Power Input with DC 24V Power Adapter, -20~60°C



PPC-190SAG-2AxMT/H

19" (1280*1024) Fanless P-cap Panel PC with Intel® Gen. 12th 35W LGA1700 CPU, AG, IP65 Front side, 2x USB 3.2, 2x USB2.0, 2x 2.5Gbs LAN, 2x COM, 1x HDMI, 2x DP and DC 12~28V Power Input with DC 24V Power Adapter, -20~60°C



PPC-185WAG-2AxMT/H

18.5" (1920*1080) Fanless P-cap Panel PC with Intel® Gen. 12th 35W LGA1700 CPU, AG, IP65 Front side, 2x USB 3.2, 2x USB2.0, 2x 2.5Gbs LAN, 2x COM, 1x HDMI, 2x DP and DC 12~28V Power Input with DC 24V Power Adapter, -20~60°C



PPC-170SAG-2AxMT/H

17" (1280*1024) Fanless P-cap Panel PC with Intel® Gen. 12th 35W LGA1700 CPU, IP65 Front side, 2x USB 3.2, 2x USB2.0, 2x 2.5Gbs LAN, 2x COM, 1x HDMI, 2x DP and DC 12~28V Power Input with DC 24V Power Adapter, -20~60°C



PPC-156WAG-2AxMT/H

15.6" (1920*1080) Fanless P-cap Panel PC with Intel® Gen. 12th 35W LGA1700 CPU, AG, IP65 Front side, 2x USB 3.2, 2x USB2.0, 2x 2.5Gbs LAN, 2x COM, 1x HDMI, 2x DP and DC 12~28V Power Input with DC 24V Power Adapter, -20~60°C



PPC-150SAG-2AxMT/H

15" (1024*768) Fanless P-cap Panel PC with Intel® Gen. 12th, 35W LGA1700 CPU, IP65 Front side, 2x USB 3.2, 2x USB2.0, 2x, 2.5Gbs LAN, 2x COM, 1x HDMI, 2x DP and DC 12~28V Power, Input with DC 24V Power Adapter, -20~60°C



PPC-240W-2X

24" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input



PPC-190S-2X

19" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input



PPC-185W-2X

18.5" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input



PPC-173W-2X

17.3" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input



PPC-170S-2X

17" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input



PPC-156W-2X

15.6" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input



PPC-150S-2X

15" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input



PPC-121W-3X

12.1" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input



PPC-121S-3X

12.1" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input



PPC-104S-3X

10.4" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input



PPC-101W-3X

10.1" P-cap Panel PC with 7th/6th Gen Kaby Lake-U/Skylake-U Core™ i7/i5/i3, IP65 / 66 Bezel-Free and Wide Range Power Input

Individual Datasheets & Manuals available upon request